



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—
UNTABULATED.

ARGENTINA—*Rosario de Santa Fé*.—Month of September, 1907. Estimated population, 152,492. Total number of deaths, 266, including diphtheria 3, measles 5, scarlet fever 1, whooping cough 1, small-pox 3, and 38 from phthisis pulmonalis.

CANADA—*British Columbia—Vancouver*.—Month of November, 1907. Estimated population, 52,000. Total number of deaths, 53, including diphtheria 1, enteric fever 2, and 3 from tuberculosis.

DUTCH GUIANA—*Parimaribo*.—Month of November, 1907. Estimated population, 34,038. Total number of deaths, 87. No contagious diseases reported.

FRANCE—*Roubaix*.—Month of November, 1907. Estimated population, 121,115. Total number of deaths, 153, including enteric fever 1, measles 1, and 25 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended December 7, 1907, correspond to an annual rate of 16 per 1,000 population, which is estimated at 16,024,458.

London.—One thousand four hundred and seventy-five deaths were registered during the week, including measles 35, scarlet fever 19, diphtheria 20, enteric fever 4, whooping cough 18, tuberculosis 173, and 95 from diarrhea. The deaths from all causes correspond to an annual rate of 16.2 per 1,000. In Greater London 2,087 deaths were registered. In the "outer ring" the deaths included 6 from diphtheria, 4 from measles, 4 from scarlet fever, and 3 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended December 7, 1907, in the 21 principal town districts of Ireland was 24.2 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Clonmel, viz, 5.1, and the highest in Wexford, viz, 42.0 per 1,000.

Scotland.—The deaths registered in 8 principal towns during the week ended December 7, 1907, correspond to an annual rate of 20.6 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Dundee, viz, 32.4, and the lowest in Aberdeen, viz, 14.6 per 1,000. The aggregate number of deaths registered from all causes was 716, including diphtheria 9, enteric fever 5, measles 79, scarlet fever 2, and 13 from whooping cough.

HAWAII—*Honolulu*.—Month of November, 1907. Census population, 39,306. Total number of deaths 72, including enteric fever 1, and 11 from tuberculosis.

OCEANIA—*Society Islands—Tahiti*.—Ten days ended November 30, 1907. Estimated population, 4,000. Total number of deaths, 17, including enteric fever 1 and 1 from tuberculosis.

SPAIN—*Cádiz*.—Month of November, 1907. Estimated population, 69,322. Total number of deaths, 155, including enteric fever 3, whooping cough 2, small-pox 8, and 25 from tuberculosis.

Madrid.—Month of November, 1907. Estimated population, 556,663. Total number of deaths, 1,008, including diphtheria 11, enteric fever 23, measles 2, scarlet fever 1, whooping cough 2, smallpox 1, and 144 from tuberculosis.

TASMANIA—*Hobart Town*.—Month of October, 1907. Estimated population, 177,213. Total number of deaths 205, including diphtheria 1, enteric fever 2, scarlet fever 1, whooping cough 8, and 7 from tuberculosis.

Cholera, yellow fever, plague, and smallpox from December 28, 1907, to January 3, 1908.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls, through the Department of State and from other sources.]

[For reports received from June 28, 1907, to December 27, 1907, see PUBLIC HEALTH REPORTS for December 27, 1907.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India:				
Calcutta	Nov. 17-23		108	
Rangoon	Nov. 17-23		9	
Japan:				
De Vries (Oshima) Island ..	Dec. 3	5		
Ibaraki	Nov. 27	1		
Kanagawa	Dec. 1-2	4		
Kobe	Nov. 17-23	7	2	
Nagasaki	Nov. 18-24	1	1	
Shinagawa	Nov. 27			Present on 2 Japanese torpedo-boat destroyers; erroneously entered as plague in previous number.
Tokushima	Nov. 27	27	22	
Tokyo	Dec. 27	88	63	
Yokohama	Oct. 27-Nov. 2	5	4	Dec. 3. 2 cases in vicinity.
Russia, general	Nov. 7-12	403	225	
Akmolinsk	Nov. 7-12	19	24	
Baku	Nov. 7-12	18	12	
Ekaterinslaw	Nov. 7-12	32	15	Including city Rostow.
Kief	Nov. 19-23	14	3	
Kursk, Govt. dist.	Nov. 7-12	32	12	Including Woronesch.
Minsk	Nov. 7-12	2	1	
Moscow	Nov. 7-12	7	8	In industrial district.
Samara, Govt. dist.	Nov. 7-12	41	23	
Tobolsk	Nov. 7-12	112	79	
Tomsk, Govt. dist.	Nov. 7-12	68	24	
Tschernigov and Poltawa ..	Nov. 7-12	25	14	
Volga, middle dist.	Nov. 7-12	47	22	